





Glide™ Acoustic

Product Code	Description	Height (mm)	Width (mm)	Depth (mm)
About Glide II™	Range summary & images			
BG20821ADSBST	Acoustic Doors, Plain Back	743-751	800	470
BG20823ADSBST	Acoustic Doors, Plain Back	807-831	800	470
BG20834ADSBST	Acoustic Doors, Plain Back	1149-1173	800	470
BG20846ADSBST	Acoustic Doors, Plain Back	1529-1553	800	470
BG21021ADSBST	Acoustic Doors, Plain Back	743-751	1,000	470
BG21023ADSBST	Acoustic Doors, Plain Back	807-831	1,000	470
BG21034ADSBST	Acoustic Doors, Plain Back	1149-1173	1,000	470
BG21046ADSBST	Acoustic Doors, Plain Back	1529-1553	1,000	470
BG21221ADSBST	Acoustic Doors, Plain Back	743-751	1,200	470
BG21223ADSBST	Acoustic Doors, Plain Back	807-831	1,200	470
BG21234ADSBST	Acoustic Doors, Plain Back	1149-1173	1,200	470
BG21246ADSBST	Acoustic Doors, Plain Back	1529-1553	1,200	470
BG21621ADSBST	Acoustic Doors, Plain Back	743-751	1,600	470
BG21623ADSBST	Acoustic Doors, Plain Back	807-831	1,600	470
BG21634ADSBST	Acoustic Doors, Plain Back	1149-1173	1,600	470
BG21646ADSBST	Acoustic Doors, Plain Back	1529-1553	1,600	470
BG22021ADSBST	Acoustic Doors, Plain Back	743-751	2,000	470
BG22023ADSBST	Acoustic Doors, Plain Back	807-831	2,000	470
BG22034ADSBST	Acoustic Doors, Plain Back	1149-1173	2,000	470
BG22046ADSBST	Acoustic Doors, Plain Back	1529-1553	2,000	470
BG22421ADSBST	Acoustic Doors, Plain Back	743-751	2,400	470
BG22423ADSBST	Acoustic Doors, Plain Back	807-831	2,400	470
BG22434ADSBST	Acoustic Doors, Plain Back	1149-1173	2,400	470
BG22446ADSBST	Acoustic Doors, Plain Back	1529-1553	2,400	470

2017-07-12



Glide™ Internals

Product Code	Description	Height (mm)	Width (mm)	Depth (mm)
G2DB08	Drawer Base - to fit into roll out filing frame (89mm high) incl 3 dividers	100	676	336
G2DB10	Drawer Base - to fit into roll out filing frame (89mm high) incl 3 dividers			
G2DB12	Drawer Base - to fit into roll out filing frame (89mm high) incl 3 dividers			
G2DBDVP3PS	Drawer base divider (pack of 3)			
G2IC08RFPS	Roll out filing frame	100	715	360
G2IC08SSUPS	Slotted shelf with undershelf filing	23	720	382
G2IC10RFPS	Roll out filing frame			
G2IC10SSUPS	Slotted shelf with undershelf filing			
G2IC12RFPS	Roll out filing frame			
G2IC12SSUPS	Slotted shelf with undershelf filing			
G2IC21A408SSUPS	21 Module unit shelf - allows 2 rows of A4 vertical filing			
G2IC21A410SSUPS	21 Module unit shelf - allows 2 rows of A4 vertical filing			
G2IC21A412SSUPS	21 Module unit shelf - allows 2 rows of A4 vertical filing			

2017-07-12



Glide™ Perforated

Product Code	Description	Height (mm)	Width (mm)	Depth (mm)
BG20821PDSBST	Perforated Doors, Plain Back	743-751	800	470
BG20823PDSBST	Perforated Doors, Plain Back	807-831	800	470
BG20834PDSBST	Perforated Doors, Plain Back	1149-1173	800	470
BG20846PDSBST	Perforated Doors, Plain Back	1529-1553	800	470
BG21021PDSBST	Perforated Doors, Plain Back	743-751	1,000	470
BG21023PDSBST	Perforated Doors, Plain Back	807-831	1,000	470
BG21034PDSBST	Perforated Doors, Plain Back	1149-1173	1,000	470
BG21046PDSBST	Perforated Doors, Plain Back	1529-1553	1,000	470
BG21221PDSBST	Perforated Doors, Plain Back	743-751	1,200	470
BG21223PDSBST	Perforated Doors, Plain Back	807-831	1,200	470
BG21234PDSBST	Perforated Doors, Plain Back	1149-1173	1,200	470
BG21246PDSBST	Perforated Doors, Plain Back	1529-1553	1,200	470
BG21621PDSBST	Perforated Doors, Plain Back	743-751	1,600	470
BG21623PDSBST	Perforated Doors, Plain Back	807-831	1,600	470
BG21634PDSBST	Perforated Doors, Plain Back	1149-1173	1,600	470
BG21646PDSBST	Perforated Doors, Plain Back	1529-1553	1,600	470
BG22021PDSBST	Perforated Doors, Plain Back	743-751	2,000	470
BG22023PDSBST	Perforated Doors, Plain Back	807-831	2,000	470
BG22034PDSBST	Perforated Doors, Plain Back	1149-1173	2,000	470
BG22046PDSBST	Perforated Doors, Plain Back	1529-1553	2,000	470
BG22421PDSBST	Perforated Doors, Plain Back	743-751	2,400	470
BG22423PDSBST	Perforated Doors, Plain Back	807-831	2,400	470
BG22434PDSBST	Perforated Doors, Plain Back	1149-1173	2,400	470
BG22446PDSBST	Perforated Doors, Plain Back	1529-1553	2,400	470




Glide™ Standard

Product Code	Description	Height (mm)	Width (mm)	Depth (mm)
BG20821SDSBST	Plain Doors, Plain Back	743-751	800	470
BG20823SDSBST	Plain Doors, Plain Back	807-831	800	470
BG20834SDSBST	Plain Doors, Plain Back	1149-1173	800	470
BG20846SDSBST	Plain Doors, Plain Back	1529-1553	800	470
BG21021SDSBST	Plain Doors, Plain Back	743-751	1,000	470
BG21023SDSBST	Plain Doors, Plain Back	807-831	1,000	470
BG21034SDSBST	Plain Doors, Plain Back	1149-1173	1,000	470
BG21046SDSBST	Plain Doors, Plain Back	1529-1553	1,000	470
BG21221SDSBST	Plain Doors, Plain Back	743-751	1,200	470
BG21223SDSBST	Plain Doors, Plain Back	807-831	1,200	470
BG21234SDSBST	Plain Doors, Plain Back	1149-1173	1,200	470
BG21246SDSBST	Plain Doors, Plain Back	1529-1553	1,200	470
BG21621SDSBST	Plain Doors, Plain Back	743-751	1,600	470
BG21623SDSBST	Plain Doors, Plain Back	807-831	1,600	470
BG21634SDSBST	Plain Doors, Plain Back	1149-1173	1,600	470
BG21646SDSBST	Plain Doors, Plain Back	1529-1553	1,600	470
BG22021SDSBST	Plain Doors, Plain Back	743-751	2,000	470
BG22023SDSBST	Plain Doors, Plain Back	807-831	2,000	470
BG22034SDSBST	Plain Doors, Plain Back	1149-1173	2,000	470
BG22046SDSBST	Plain Doors, Plain Back	1529-1553	2,000	470
BG22421SDSBST	Plain Doors, Plain Back	743-751	2,400	470
BG22423SDSBST	Plain Doors, Plain Back	807-831	2,400	470
BG22434SDSBST	Plain Doors, Plain Back	1149-1173	2,400	470
BG22446SDSBST	Plain Doors, Plain Back	1529-1553	2,400	470

Technical data sheet

Glide II™



Glide II™, the next generation of our sliding door cupboards range, once again demonstrates Bisley's qualities of innovation and attention to detail, including bespoke soft-bump stops and anti-rebound clips for the sliding doors. The minimalist aesthetic is achieved through powder-coated surfaces providing a uniform, unbroken finish. Most significantly, door options include a perforated finish with special foam allowing the cupboards to provide valuable acoustic damping in open plan workplace environments.

The system can also accommodate bespoke timber composite doors, tops, backs and end-cladding, while the wide array of internal fittings - including roll-out filing frames and drawers - ensures maximum flexibility and re-configurability. Glide II™ also aligns perfectly in depth, height and colour choice with the popular Bisley LateralFile™ and SystemFile™ storage programmes, ensuring total consistency across ranges and a unified workplace aesthetic.




- inset door detail with clean back and neat side panel detailing as LateralFile™
- top hung quality running gear for the doors – lighter and more precise door movement
- soft close on the doors – graceful closing of the doors
- front uprights replace carcass inner skins – the full width of the unit is available as storage
- no applied backs – 470mm depth as standard
- optional perforated and foam filled doors for effective acoustic dampening
- unit can be partially or fully clad in OEM customer supplied panels
- duplex carcasses on wider variants provide full width internals
- standard internals finished in black - carcass-matching internals available at a price premium

Technical Information


Guarantee (years):	10
Key information:	AB series, 500 differs, AB500-AB999, mastered Std - 80080768

Colours

Palette One

	Alaska
	Azure
	Black
	Canary
	Dijon
	Fuchsia
	Garnet
	Mandarin
	Mimosa
	Orient
	Parma
	Portland
	Prussian
	Regent
	Seville
	Silver - Systems
	Slate
	Tickleweed
	Traffic White
	Vanilla
	York

Palette Two 0%

	Anthracite
	Azure
	Black
	Canary
	Cardinal Red
	Chalk
	Coffee
	Cream
	Fuchsia
	Goose Grey
	Light Grey
	Mandarin
	Mimosa
	Oxford Blue
	Silver - Systems
	Traffic White

Colour blocks are only approximations, please refer to Bisley metal colour samples for an exact representation.

Contact details

Bisley Head Office & UK Customer Services

Head Office & UK Customer Services
Caswell Way
Reevesland Ind Est
Newport, South Wales
NP19 4PW
Telephone: +44 (0)1633 637 383
Fax: +44 (0)1633 637 384
www.bisley.com
info@bisley.com

Bisley International Customer Services and Group Marketing

International Customer Services &
Group Marketing,
Knightway House, Park Street,
Bagshot, Surrey
GU19 5AQ
Telephone: +44 (0) 1276 450040
Fax: +44 (0) 1276 423080
www.bisley.com
info@bisley.com

Bisley Showroom

London Showroom - UK Sales
Enquiries
Northumberland House
155-157 Great Portland Street
London
W1W 6QP
Telephone: +44 (0)20 7436 7111
Fax: +44 (0)20 7436 8111
www.bisley.com
info@bisley.com

Media and Press enquires

Media and Press enquires,
Knightway House,
Park Street,
Bagshot,
Surrey, GU19 5AQ
Telephone: Anna King, Informare +44
(0) 20 3475 1735 or Sarah Cooney,
Bisley + 44 (0) 1276 450076

Bisley España S.L. Madrid

Telephone: +34 910 514890
info@bisley.es

Bisley Mobile Shelving

Telephone: +44 (0) 1276 450040
Fax: +44 (0) 1276 423080
www.bisleymobileshelving.com
mobileshelving@bisley.com

Bisley France

Telephone: +33 (0)1 41 39 97 20
Fax: +33 (0)1 41 39 97 21
www.bisley.fr
info@bisley.fr

Bisley Office Furniture Ireland Ltd

Telephone: 00353 1 2769100
Fax: 00353 1 2769101
www.bisley.ie
info@bisley.ie

Bisley Benelux - kantoor & showroom

Telephone: + 31 (0)13 463 0662
Fax: + 31 (0)13 463 9615
www.bisley.nl
info@bisley.nl

Bisley GmbH Hauptsitz und Showroom

Telephone: +49 (0)211 87541 600
Fax: +49 (0)211 87541 899
www.bisley.de
info@bisley.de

Bisley Benelux

Telephone: 0031 13 463 0662
www.bisley.nl
info@bisley.nl

Bisley Benelux

Telephone: 0031 13 463 0662
www.bisley.nl
info@bisley.nl

Bisley Resellers

Telephone: 0207 436 7111
www.bisleyresellers.uk

Bisley España, S.L

Telephone: +34 94 633 32 00
Fax: +34 94 633 32 33
www.bisley.es
info@bisley.es

Bisley Retail

Telephone: (0)20 7436 7111
Fax: (0)20 7436 8111
<http://www.bisley.com/en-Home/>

Bisley North America

www.bisleyus.com

Bisley International Customer Services and Group Marketing

Telephone: +44 (0) 1276 450040
Fax: +44 (0) 1276 423080
www.bisley.com
info@bisley.com

Bisley Head Office & UK Customer Services

Telephone: +44 (0)1633 637 383
Fax: +44 (0)1633 637 384
www.bisley.com
info@bisley.com

Bisley Office Furniture

Telephone: +44 (0)20 7436 7111
Fax: +44 (0)20 7436 8111
www.bisley.com
info@bisley.com

Bisley Dubai

Telephone: +971 4 4503747

Fax: +971 4 4508926

www.bisleydubai.com

Jhoanna.Rivera@bisley.com,

Onhan.Baysoy@bisley.com



URS CERTIFICATE NO.11599/1



URS CERTIFICATE NO.11599A/1

